BIRD CALENDAR, 1931 – 27th Year

Bulletin No. 3 – June 19, 1931

This bulletin covers the month of May. One hundred eighty-two species of birds are listed of which ninety are new for the year. Only the new birds are numbered. More species of birds usually may be seen and identified in May than any other time because the height of the spring migration is reached then. Evidence indicated that this year the height came on the 18th, 19th and 20th. This is a few days late.

Mr. Watterson writes, "I found most of the species of warblers, but comparatively few of each, and several that are usually common, I found only once or twice – notably the Magnolia."

This general scarcity of warblers is verified by other observers. A few species were as common or more so than usual, however. These were redstarts, oven-birds, yellow warblers, black-poll warblers and blue-winged warblers.

Dr. Hulme comments on the fact that birds have been less numerous in Wade and Rockefeller Parks recently than in years past – notably the blue-bird, wood thrush, brown thrasher, crested flycatcher, warbling vireo, woodpeckers, warblers, and orioles. This he attributes partly to the heavier traffic but principally to the undesirable cutting and clearing away of undershrubbery, dead leaves, and brush.

Attention is called in particular to a few species in the following records which are of unusual interest because of their rarity. These are: blue goose, dowitcher, willet, golden eagle, Hoyt horned lark, golden-winged warbler, orange-crowned warbler, worm-eating warbler, Connecticut warbler, pipit, and short-billed marsh wren.

The contributors to the bird calendar this month are the following. They will be designated by initials only, as usually, in the records of the species:

John Aldrich	Hylas S. Janes
C. M. Finfrock	Emerson Kemsies
Francis H. Herrick	S. C. Kendeigh
Myra E. Hills	Roger Peterson
W. H. Hulme	James Stevenson

W. H. Watterson

The next bulletin in this bird calendar will probably not be issued until some time in September and will cover the three summer months together.

- - - - - - - - - - -

	Pied-billed Grebe – J.A., J.S., S.C.K	May 6 (1); 12 (1); 13 (1); 16; 17 (2); 18 (1)
	Herring Gull – J.A., J.S., S.C.K	May 1 (2); 6 (2); 12 (8); 16 (10, 20); 17 (500); 18 (5); 26 (15)
	Ring-billed Gull – J.A., J.S., S.C.K.	May 6 (2); 16 (50); 17 (26); 18 (15); 26(25)
	Bonaparte Gull – J.A., J.S., S.C.K.	May 1 (10); 6 (100); 11 (1); 12 (100); 16 (1); 17 (125); 18 (15)
120	Caspian Tern – J.A., J.S., S.C.K.	May 6 (10); 12 (100); 16 (1); 17 (3); 18 (15); 26 (5)

121	Common Tern – J.A., J.S., W.H.W., S.C.K.	May 6 (500); 12 (500); 13 (1); 17 (30); 18 (100); 26 (50); 31 (1)
122	Black Tern – J.A., J.S., W.H.S., S.C.K.	May 6 (25); 12 (15); 13 (1); 16; 17 (140); 18 (75); 26 (75); 31 (50-60)
	Red-breasted Merganser – J.A.	May 18 (1)
	Hooded Merganser – R.P.	May 30 (1)
	Mallard – J.A., W.H.W., S.C.K.	May 16 (1); 18 (5); 31 (20)
	Black Duck – J.A., J.S., W.H.W., S.C.K.	May 6 (10); 12 (2); 17 (3); 18 (3); 26 (2); 31 (25)
	Blue-winged Teal – J.A., J.S., E.K., S.C.K.	May 1 (1); 6 (20); 12 (10); 17 (9); 18 (4); 26 (4); 31 (2)
	Pintail – E.K.	May 31 (1)
	Canvas-back – J. A.	May 26 (1)
	Lesser Scaup Duck – J.A., J.S., W.H.W., S.C.K.	May 1 (10); 2 (3); 6 (5); 12 (25); 14 (last at Gordon Park); 16 (20); 17 (29); 18 (34); 26 (last at Shaker Lakes); 27 (1)
	Ring-necked Duck – J.S.	May 17 (2)
123	Blue Goose – J.S., S.C.K.	May 17 (1) Although this bird is very late apparently it was not seriously wounded because it flew from part of the swamp to the other. It was observed for some little time so that the identification is positive.
124	American Bittern – J.A., J.S., W.H.W., S.C.K.	May 1 (1); 3 (1); 4 (4); 12 (3); 16; 17 (1, 3); 18 (2)
125	Least Bittern – J.A., J.S., W.H.W., S.C.K.	May 12 (1); 13 (1); 17 (1); 26 (4); 31 (3)
	Great Blue Heron – J.A., J.S., W.H.W., S.C.K.	May 6 (5); 12 (6); 16 (1); 17 (19); 18 (2, 3); 26 (2); 31 (100)
	Green Heron – J.A., J.S., W.H.W., S.C.K.	May 1 (2); 16 (10); 17 (1); 18 (3); 22 (1); 24 (2); 25; 26 (2)
126	Black-crowned Night Heron – J.A.	May 6 (1); 18 (2); 26 (2)
127	King Rail – J.A., W.H.W.	May 6 (2); 26 (2); 31 (1)
128	Virginia Rail – J.A., J.S., W.H.W., S.C.K.	May 16; 17 (1); 18 (1); 31 (1)
129	Sora Rail – J.A., J.S., S.C.K.	May 1 (1); 6 (1); 17 (4); 18 (2)
130	Florida Galinule – J.A., J.S., W.H.W., S.C.K.	May 7 (1); 12 (1); 17 (2); 20 (1); 31 (several)
	Coot – J.A., J.S., S.C.K.	May 6 (2); 12 (1); 16; 17 (25); 26 (1)
	Woodcock – J.A., J.S., W.H.W., S.C.K.	May 1 (1, 2); 3 (1); 16
	Wilson Snipe – J.A., W.H.W.	May 1 (1); 3 (3); 6 (3); 12 (2); 18 (1)
131	Dowitcher – J.A.	May 12 (3)
	Pectoral Sandpiper – J.A.	May 6 (1)
132	White-rumped Sandpiper – J.A.	May 18 (1)
133	Least Sandpiper – J.A., J.S., W.H.W., S.C.K.	May 11 (1); 17 (1); 18 (3); 26 (1); 31 (6)
134	Semipalmated Sandpiper – J.A., W.H.W., E.K.	May 18 (20, 3); 26 (3, 1); 31 (18)
	Greater Yellow-legs – J.A., W.H.W.	May 6 (3); 12 (3); 18 (1); 31 (2)
135	Lesser Yellow-legs – J.A., J.S, W.H.W., E.K., S.C.K.	May 3 (1); 6 (8); 12 (2); 16; 17 (4); 18 (8); 31 (3)
	Solitary Sandpiper – J.A., W.H.W., S.C.K.	May 9 (2); 10 (1); 13 (1); 16 (3); 17 (1); 18 (1); 26 (1)
136	Willet – W.H.W., E.K.	May 31 (1)
	Upland Plover – S.C.K.	May 16 (1)
	Spotted Sandpiper – J.A., J.S., W.H.W., S.C.K	May 1(1); 4 (1); 6 (8); 8 (1); 9 (1); 12 (6); 16 (9); 17 (30); 18 (2) going through courtship display antics; 20 (3); 23 (3); 26 (10); 27 (3)

137	Black-bellied Plover – J.A., W.H.W., E.K.	May 18 (2); 26 (20); 31 (1)
	Killdeer – J.A., J.S, W.H.W., S.C.K.	May 3 (nest with 3 eggs at Shaker Lakes –on 23rd eggs gone, probably hatched); 6 (2); 12 (2); 13 (2); 16; 17 (2); 18 (2, 2); 26 (2, 2)
138	Semipalmated Plover – J.A., J.S., E.K., S.C.K.	May 17 (9); 18 (3); 26 (3); 31 (3)
139	Piping Plover – J.A., J.S., W.H.W., S.C.K.	May 12 (2); 17 (2); 26 (1); 31 (1)
140	Ruddy Turnstone – J.A., J.S., W.H.W., S.C.K.	May 12 (1); 17 (1); 18 (4); 26 (2); 31 (100)
	Bob-white – J.A., J.S., S.C.K.	May 2 (1); 6 (5); 7 (1); 8 (6); 9 (5); 10 (3); 12 (2); 16; 17 (5); 18 (2); 26 (2)
	Ruffed Grouse – J.S.	May 16 (1)
141	Ring-necked Pheasant – W.H.W.	May 26 (2)
	Mourning Dove – J.A., J.S., W.H.W., C.M.F., S.C.K.	May 1(2); 3 (1); 4 (1); 6 92); 10 (6); 12 (10); 13 (1); 16 (5); 17 (28 – nest with 2 eggs); 18 (8); 23 (3 nests); 26 (2); 27 (4)
	Turkey Vulture – J.A., J.S., S.C.K.,	May 4 (4); 16 (3); 17 (1)
	Marsh Hawk – J.A., J.S., S.C.K.	May 1(1); 6 (2); 12 (1); 13 (1); 16 (1); 17 (1); 18 (2); 26 (1)
	Sharp-shinned Hawk – J.A., S.C.K.	May 3 (1); 4 (1); 16 (5); 18 (2)
	Cooper Hawk – J.A., J.S., S.C.K.	May 16; 17 (1); 18 (1)
	Red-tailed Hawk – J.A., J.S., S.C.K.	May 2 (1); 13 (1); 16 (1)
	Red-shouldered Hawk – J.A., J.S., S.C.K.	May 16 (2); 17 (2); 18 (1)
142	Broad-winged Hawk – J.A., J.S., S.C.K.	May 17 (3); 18 (1)
143	Golden Eagle – R.P.	May 30 (1) identification well substantiated
	Sparrow Hawk – J.A., J.S., S.C.K.	May 16 (2); 18 (2)
144	Osprey – J.A.	May 2 (1)
	Barn Owl – W.H.W.	May 10 (2)
	Barred Owl – J.S.	May 10 (1); 16 (1); 26 (1)
	Great Horned Owl – J.A., S.C.K.	May 1 (1); 11 (1); 13 (1)
145	Yellow-billed Cuckoo – J.A., W.H.W.	May 18 (2); 26 (2); 31 (1)
146	Black-billed Cuckoo – W.H.W.	May 17 (1); 24 (1)
	Belted Kingfisher – J.A., J.S., S.C.K.	May 1 (2); 6 (1); 12 (1); 16 (1); 17 (1); 18 (1); 22 (1)
	Hairy Woodpecker – J.S., L.M.J., S.C.K.	May 2(2); 3 (1); 9 (1); 12; 13 (2); 16 (1)
	Downy Woodpecker – J.S., J.S., S.C.K.	May 3 (1); 4 (1); 9 (1, 2); 16; 17 (1); 18 (1)
	Yellow-bellied Sapsucker – W.H.H., S.C.K.	May 6 (2); 7 (2); 13 (1)
	Pileated Woodpecker – W.H.H.; S.C.K.	May 16 (1); 26 (1)
	Red-headed Woodpecker – J.A., J.S., W.H.H., S.C.K.	May 5 (1); 6 (4); 12 (2); 14 (1); 16 (3); 17 (3); 18 (1)
	Red-bellied Woodpecker – J.S.	May 9 (1)
	Northern Flicker – J.A., J.S., S.C.K.	May 1 (2); 2 (4); 3 (3); 4 (1); 5 (2); 9 (4); 10 (2); 12 (2); 16 (2); 17 (3); 18 (5); 23 (1); 26 (1); 27 (2)
147	Whip-poor-will – J.A., J.S., W.H.H., S.C.K.	May 6 (1); 8 (1); 17 (1); 31 (several heard)
148	Nighthawk – J.A., J.S., W.H.W., W.H.H., S.C.K.	May 16 (1); 18 (2, 1); 19 (several); 20 (2, several); 26 (1); 27; 28-31 (heard nightly flying over Cleveland Heights).

149 Chimney Swift – J.A., J.S., W.H.W., W.H.H., C.M.F., S.C.K
May 5; 8; 19 (4, 14); 11 (2); 12 (2); 16 (1, 15); 17 (12); 18 (10); 19; 25; 26 (3); 27

150 Ruby-throated Hummingbird – J.A., J.S., W.H.W., S.C.K
May 16; 17 (1, 1); 18 (3); 22 (1); 26 (1)

151 Kingbird – J.A., J.S., W.H.W., S.C.K. May 10 (3); 12 (1); 16 (2); 17 (3); 18 (4); 26 (6)

152 Crested Flycatcher – J.A., J.S., W.H.W., S.C.K.
May 8 (1); 10 (1); 13 92); 16 (1, 2); 17 92, 6); 18 (1); 25; 27 (2)

Phoebe – J.A., J.S., S.C.K. May 1 (2); 2 91); 3 91); 4 92); 16 92, 2); 17 91); 18 (1); 26 (1)

153 Wood Pewee – J.S., W.H.W., W.H.H., S.C.K.
May 17 (1); 18 (1); 23 (1); 27 (4)

154 Acadian Flycatcher – W.H.W., S.C.K. May 17 (1); 24 (c); 29 (1)

155 Traill Flycatcher – J.A., S.C.K. May 16 (2); 18 (1); 23 (1); 26 (1)

156 Least Flycatcher – J.A., J.S., W.H.W., W.H.H., S.C.K. May 6 (3); 7 (1); 9 (1); 10 (1); 16 (2); 17 (1, 2); 23 (1); 26 (1)

Prairie Horned Lark – J.A., J.S., S.C.K. May 17 (2); 18 (1); 31 (1)

(101) Hoyt Horned Lark (Otocoris alpestris hoyti) – April 8 – Mr. Aldrich wishes to correct the record of O.a. alpestris recorded on this date in Bulletin 2, which on further study is found to be subspecies O.a. hoyti. This is a rarer form characterized by less yellow on the throat and over the eye.

Blue Jay – J.A., J.S., L.M.J., C.M.F., S.C.K. May 2 (2); 3 (1); 6 (10); 9 (4); 12; 13 (1); 16 (2, 3); 17 (1); 18 (1); 23 (2); 25; 27 (2)

Crow – J.A., J.S., F.H.H., S.C.K. May 1 (3); 2, (2, 2); 6 95); 9 (5); 10 (1); 11 (nest of crow near human habitation back of Christian Science Church near Carleton Road, Cleveland Heights); 12 (2); 13 (2); 16 (5, 6); 17 (5); 18 (3); 26 (2); 27 (1)

Starling – J.A., S.C.K. May 2 (6); 3 (1); 9 (12); 10 (4); 13 (1); 17 (20); 18 (5); 23 (8); 26 (6)

157 Bobolink – J.A., J.S., W.H.W., S.C.K. May 3 (10 – 15 males); 9 (12 males); 10 (6, c); 12 (1); 13 (1); 16 (2, 8); 17 (3); 18 (2); 26 (2)

Cowbird – J.A., J.S., W.H.W., S.C.K. May 1 (1); 2 (4); 3 (2); 4 (1); 9 94); 10 (3); 12 (1); 13 (3); 16 (9); 17 (36); 18 (3); 23 (3); 26 (5); 27 (2); 31 (full grown young)

Red-winged Blackbird – J.A., J.S., W.H.W., S.C.K. May 1 (10); 3 (3); 6 (100); 9 (2); 10 (2); 12 (100); 13 (6); 16 (7, 30); 17 (185); 18 (100, nest with 2 eggs, nest with 3 eggs); 23 (4); 26 (100, nest with 3 eggs, nest with 3 eggs); 27 (2); 30 (nest with 3 eggs and 1 newly hatched young)

Meadowlark – J.A., J.S., S.C.K. May 1 (1); 2 (3); 4 (1); 6 (5); 10 (c); 13 (2); 16 (4, 7); 17 (7); 18 (2); 26 (2)

158 Orchard Oriole – J.A. May 18 (1); 26 (4)

159 Baltimore Oriole – J.A., J.S., W.H.W., W.H.H., M.E.H., G.H.H., S.C.K.
May 5 (1); 10 (1, 1, 3); 13 (1); 14 (1); 16 (2, 2, several); 17 (2); 18 (2); 27 (1)

Rusty Blackbird – W.H.W. May 17 (1) – a very late record.
Bronzed Grackle – J.A., J.S., C.M.F., S.C.K. May 1 (3); 2 (12); 3 (3); 4 (2); 5 (3); 6 (4); 9 (12); 10 (4); 12 (15); 13 (4); 16 (2, 2); 17 (28); 18 (6); 23 (10); 26 (6); 27 (6)
Purple Finch – J.A., S.C.K. May 4 (2); 16
Goldfinch – J.A., J.S., L.M.J., W.H.H., S.C.K. May 1 (1); 2 (2); 3 (2); 4 (1); 9 (1); 10 (10); 13 (3); 14 (several); 15 (several); 16 (25, 30); 17 (3); 18 (20); 23 (5); 26 (2); 27 (2)
Vesper Sparrow – J.A., J.S., S.C.K. May 1 (1); 4 (1); 6 (1); 10 (6); 16; 17 (1); 18 (1); 26 (2)
Savannah Sparrow – J.A., J.S., S.C.K. May 1 (1); 16 (1); 17 (1); 18 (1); 26 (1)
160 Grasshopper Sparrow – J.S., S.C.K. May 9(10); 10 (4); 16 (1)
161 White-crowned Sparrow – J.A., J.S., W.H.W., S.C.K. May 6 (2); 8 (1); 16 (1, 10); 17 (2, 12); 18 (8); 24 (1)
White-throated Sparrow – J.A., J.S., W.H.W., L.M.J., W.H.H., M.E.H., S.C.K. May 1 (several); 2 (12), 3 (3); 4 (3); 9 (6); 13 (4); 16 (25, 50); 17 (20); 18 (4); 22 (1)
Chipping Sparrow – J.A., J.S., S.C.K. May 10 (2); 16 (11); 17 (1); 18 (1)
Field Sparrow – J.A., J.S., W.H.H., S.C.K. May 1 (25); 2 (4); 4 (50); 6 (1); 10 (5); 13 (2); 16 (4, 8); 17 (18); 18 (1); 23 (2)
Slate-colored Junco – J.S., W.H.W., S.C.K. May 3 (24); 10 (2)
Song Sparrow – J.A., J.S., C.M.F., S.C.K. May 1 (15); 2 (4); 3 (6); 4 (10); 6 (25); 9 (10); 10 (6); 12 (15); 13 (4); 16 (10, 20); 17 (8); 18 (10); 23 (3); 26 (10); 27 (2)
162 Lincoln Sparrow – J.A., J.S., S.C.K. May 9 (1); 16 (1); 17 (2); 18 (1); 26 (1)
Swamp Sparrow – J.A., J.S., S.C.K. May 1 (5); 3 (1); 6 (1); 12 (5); 16 (2); 17 (1); 19 (1)
Towhee – J.A., J.S., L.M.J., S.C.K. May 1; 2 (4); 3 (1); 4 915); 6 (2); 9 (2); 10 (1); 12 (1); 13 (3); 16 94, 8); 17 (2, nest with 4 eggs); 18 (2); 23 (2); 27 (4)
Cardinal – J.A., J.S., C.M.F., S.C.K. May 1(1); 2 (3); 3 (2); 4 (5); 6 (1); 9)4); 12 (1); 13 (2); 16 (2, 3); 17 (2); 18 (2); 23 (1); 26 (1); 27 (3)
163 Rose-breasted Grosbeak – J.A., J.S., W.H.H., W.H.W., S.C.K. May 6 (1); 9 (1, 1); 10 (1, many); 13 (1); 16 (4, several); 17 (1); 18 (1); 21-24 (1)
164 Indigo Bunting – J.A., J.S., W.H.W., W.H.H., S.C.K. May 16 (8); 17 (1, 4); 18 (1); 31 (2)
165 Dickcissel – J. A. May 18 (1)
166 Scarlet Tanager – J.A., J.S., W.H.W., L.M.J., S.C.K. May 9 (1); 10 91, 1); 12; 13 (1); 16 (2); 17 (2, many); 18 (1); 22 (4); 23 (1); 26 (1, 2); 27 (3)
Purple Martin – J.A., J.S., S.C.K. May 1 (2); 6 (5); 10 (8); 12 (10); 13 (4); 16 (9, 10); 17 (16, 26); 18 (10); 26 (2)
Cliff Swallow – J.A., J.S., S.C.K. May 6 (1); 16 (4, 10); 18 (1); 26 (2)
Barn Swallow – J.A., J.S., W.H.W., S.C.K. May 1 (1, 10); J.A. notes a definite movement of barn, bank, and tree swallows in an easterly direction on this date along the lake shore at Mentor Headlands; 3 (3); 6 (10); 9 (2); 12 (10); 13; 16; 17 (20); 18 (10); 23 (6); 26 (6)

Tree Swallow – J.A., J.S., W.H.W., S.C.K. May 1 (10); 6 (10); 10 (6); 12 (25); 16; 17 (12); 18 (2); 26 (2); 31 (several)

167 Bank Swallow – J.A., M.S., W.H.W., S.C.K. May 1 (10); 6 (5); 12 (1); 13 (3); 16 (2, 4); 17 (50); 18 (6); 26 (1); 31 (300-400 in nesting colony)

168 Rough-winged Swallow – J.A., J.S., W.H.W., S.C.K. May 1 (1); 13 (4, many); 16; 17 (3); 18 (1)

Cedar Waxwing – J.A., J.W., F.H.H., S.C.K. May 9 (40); 13 (40-50); 16 (18); 17 (flock); 26 (2)

Migrant Shrike – S.C.K. May 16 (1)

169 Red-eyed Vireo – J.A., J.S., W.H.W., W.H.H., S.C.K. May 16 (2, 2 3); 17 (6); 18 (1); 19 (1); 22 (4); 23 (2); 26 (2); 27 (4, 4)

170 Philadelphia Vireo – W.H.W. May 31 (1)

171 Warbling Vireo – J.A., J.S., W.H.W., W.H.H., S.C.K. May 6 (1); 8 (1); 10 (2); 16 (2, 12); 17 (2); 18 (1); 27 (1, 2)

172 Yellow-throated Vireo – J.A., W.HW. May 10 (several); 16 (1)

173 Blue-headed Vireo – J.A., W.H.W., W.H.H., S.C.K. May 6 (2); 9 (1); 17 (1); 24

174 Black-and White Warbler – J.A., J.S., W.H.W., L.M.J., W.H.H., S.C.K. May 2 (1); 9 (2); 10 (1, 2, 10); 12; 13 (2); 14 (several); 16; 17 (2); 18 (2); 23 (1)

175 Worm-eating Warbler – W.H.H. May 30 (1) singing in black walnut tree on lawn.

176 Blue-winged Warbler – J.A., J.S., W.H.W., S.C.K. May 4 (1); 10 (1, 3, several); 16 (8); 17 (1); 18 (1); 25 (1)

177 Golden-winged Warbler – J.S. May 15 (1); 22 (1)

178 Nashville Warbler – J.A., J.S., W.H.W., S.C.K. May 10 (1); 12 (4); 16; 17 (3); 27 (1)

179 Orange-crowned Warbler – J.S., W.H.W. May 16 91); 17 (1)

180 Tennessee Warbler – J.S., W.H.W., S.C.K. May 16; 17 (6, several); 30 (1)

181 Northern Parula Warbler – J.S. May 17 (1)

182 Cape May Warbler – J.A., J.S., S.C.K. May 6 91); 16; 19 (2)

183 Yellow Warbler – J.A., J.S., W.H.W., W.H.H., C.M.F., S.C.K. May 2 (1, 2); 3 (c); 4 (1); 6 (2, 50); 10 (6); 12 (10); 13 (2); 14 (several); 16 (10, c); 17 (30); 18 (100); 26 (25, nest with eggs)

184 Black-throated Blue Warbler – J.A., W.H.W., W.H.H., M.E.H., S.C.K. May 8 (1); 9 (1); 10 (1); 14 (several); 16 (1); 17 (3); 18 (1); 19 (1)

Myrtle Warbler – J.A., J.S., W.H.W., S.C.K. May 6 (3); 9 (6); 16 (several); 17 (2, c); 18 (3)

Audubon Warbler – W.H.W. May 3 – "Individual seen April 30 still present and identity reaffirmed, after I had studied the series of skins at the Museum of Natural History."

185 Magnolia Warbler – J.A., J.S., W.H.W., L.M.J., W.H.H., C.M.F., S.C.K. May 11 (1); 12; 16 (1); 17 (3); 18 (1); 23 (2); 25; 27 (1)

186 Cerulean Warbler – J.A., W.H.W., S.C.K. May 10 (c); 16; 17 (1); 18 (2)

187 Chestnut-sided Warbler – J.A., W.H.W., C.M.F., S.C.K. May 13 (1); 16 (2); 17 (1, 1); 25

188 Bay-breasted Warbler – J.A., J.S., W.H.W., W.H.H., S.C.K. May 18 (1, 2); 23 (1); 24 (4); 25; 26 (6); 30 (2)

189 Black-poll Warbler – J.S., W.H.W., C.M.F., S.C.K. May 17 (2, 1); 22 (2, 5); 23 (c); 25 (2); 26 (1)

190 Blackburnian Warbler – J.S., W.H.W., C.M.F., M.E.H., S.C.K
May 9 (2); 10; 13 (6 males); 16; 17 (4); 22 (2); 23 (1); 25

191 Black-throated Green Warbler – J.A., J.S., W.H.W., S.C.K.
May 2 (1); 9 (5); 10 (c); 13 (3); 16; 17 (6); 18 (1); 29 (3)

192 Palm Warbler – J.A., J.S., W.H.W., S.C.K. May 3 (several); 13 (1); 16 (24, 15); 17 (2); 18 (1)

193 Oven-bird – J.A., J.S., W.H.W., W.H.H., S.C.K.
May 4 (5); 7 (1); 8 (1, 2); 9 (8); 10 (3, c); 12 (5); 13 (8); 16 (several); 17 (3); 18 (1); 22 (4); 23 (1); 26 (1); 27 (1)

194 Northern Water-Thrush – J.A., J.S., W.H.H., S.C.K. May 16 (2, 2)
Louisiana Water-Thrush – J.S., J.S., S.C.K. May 2 (1); 4 (2); 16; 28 (1)

195 Connecticut Warbler – W.H.W. May 31 (1)

196 Mourning Warbler – J.A., S.C.K. May 18 (1); 27 (1)

197 Maryland Yellow-throat – J.A., J.S., W.H.W., W.H.H., C.M.F.
May 6 (1); 8 (2) 10 (several); 11 (1); 12 (10); 13; 16 (7); 17 (10); 18 (12); 19 (2); 19-29 at Public Square; 25; 26 (6)

198 Yellow-breasted Chat – J.A., W.H.H. May 21 (1); 31 (3)

199 Hooded Warbler – J.A., W.H.W., S.C.K. May 7 (1); 13 (1); 15 (1); 16 (1); 17 (1, several); 28 (1); 29 (4)

200 Wilson Warbler – J.A., J.S., W.H.W., S.C.K.
May 16; 17 (1, 1); 18 (1); 27 (1)

201 Canada Warbler – J.S., W.H.W., S.C.K. May 16 (3); 17 (several); 23 (1, several); 27 (1); 30 (1)

Redstart – J.A., J.S., W.H.W., W.H.H., S.C.K. May 4 (1); 8 (2); 9 (1, 6); 10 (c); 12 (1); 13 (5); 16 (15, 5); 17 *); 18 (1); 22 (4); 23 (10); 24 (several); 28 (6); 29 (10)

202 Pipit – S.C.K. May 10 (5)

203 Catbird – J.A., J.S., W.H.W., W.H.H., C.M.F., S.C.K.
May 6 (1, 2); 7 (several); 8 (6); 10 (2, 8, c); 12 (5); 16 (9, 4, several0; 17 (3); 18 (2); 23 (3); 27 (4)

Brown Thrasher – J.A., J.S., C.M.F., S.C.K. May 2 (2); 5 (1); 6 (2); 9 (10); 16; 17 (4); 18 (1); 23 (1); 25

Carolina Wren – J.A., J.S., W.H.H., S.C.K. May 3 (1); 8 (1); 9 (1); 12 (1); 16; 17 (12); 18 (3); 23 (2); 25; 26 (1); a pair is nesting in Lakeview Cemetery.

204 House Wren – J.A., J.S., W.H.W., L.M.J., W.H.H., C.M.F., S.C.K.
May 1(1); 3 (several); 4 (10); 6 (1); 8 (1); 10(1); 16 (6, 3); 17 (14); 18 (2); 27 (1)

Winter Wren – J.A., S.C.K. May 1(1); 3 (1); 16 (1)

205 Short-billed Marsh Wren – J.H.W. May 24 (several)

206 Long-billed Marsh Wren – J.A., J.S., W.H.W., S.C.K. May 6 (10); 11 (1); 12 (30); 16 (2, 3); 17 (4); 18 (50 – of 13 collected all males); 19 (1); 26 (25 – of 10 collected 5 were males and 5 were females; several newly completed nests were found but no eggs); 31 (v.c.)

White-breasted Nuthatch – J.A., J.S., S.C.K. May 2(1); 4 (1); 16 (2, 3); 17 (1)

Red-breasted Nuthatch – J.A., S.C.K. May 16 (1); nesting of this species reported in last Bulletin has been abandoned, S.C.K.

Tufted Titmouse – J.A., J.S., S.C.K. May 2 (3); 4 (5); 9 (1); 10 (1); 13 (2); 16; 17 (2); 27 (1)
Black-capped Chickadee – J.A., J.S., S.C.K. May 2 (4); 4 (1); 9 (2); 10 (6); 17 (1); 23 (2)
Golden-crowned Kinglet – J.A., S.C.K. May 1 (1); 2 (6)
Ruby-crowned Kinglet – J.A., J.S., S.C.K. May 2 (5); 3 (2); 4 92); 9 (1); 10 (2); 16
Blue-gray Gnatcatcher – J.A., S.C.K. May 16; 18 (1)
207 Wood Thrush – J.A., J.S., W.H.W., W.H.H., S.C.K. May 4 (1); 6 (2); 7 (several); 9 (3); 10 (1, c); 16 (several); 17 (2); 18 (1); 23 (4); 27 (2)
208 Veery – J.S., W.H.W., W.H.H., C.M.F. May 17 (1, several); 24; 25
209 Gray-cheeked Thrush – J.S., J.S., W.H.H., C.M.F., S.C.K. May 24; 25; 26 (1, 2); 27 (1)
Olive-backed Thrush – J.A., J.S., W.H.W., W.H.H., C.M.F., M.E.H., F.H.H., S.C.K. May 1(1); 16 (2); 17 (4, c); 18 (1); 19 (1); 20 (1); 23 (2); 26 (8); 27 (1, 3, 20); 30; 31 (1)
Hermit Thrush – J.A., S.C.K. May 1 (1); 2 (3); 4 (1); 5 (4); 9 (2)
Robin – J.A., J.S., C.M.F., S.C.K. May 1 (5); 2 (10); 3 (6); 4 (3); 5 (6); 9 (c); 10 (5); 12 (6); 13 (4); 16 (5, 20); 17 (15); 18 (4); 23 (8); 26 (5); 27 (6)
Bluebird – J.A., J.S., W.H.H., S.C.K. May 1 (2); 4 (2); 6 (2); 10 (1); 13 (1); 16 (2, 2, 3); 17 (2); 18 (2)